DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:			
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Apparatus Replacement				
	Public Consultation Process		No	
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OF	4. EFFECTS ON FUTURE OPERATING BUDGETS:		
	2022	2023	2024	
5. EXPENDITURES				
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER	300,000	500,000		
6. NET REQUIREMENTS:	300,000	500,000	0	
TO BE FINANCED FROM: DEBENTURES RESERVES - Northam RESERVES - Large Vehicle Reserve OTHER - Resell Value	-300,000	-125,000 -300,000 -75,000		
7. ANNUAL TAX REQUIREMENT	0	0	0	

DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:		
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Administration Vehicle Replacement	Mobile #399 is a 2010 Dodge Journey. As per the replacement By-law, this vehicle was due for replacement in 2019. We extended the life cycle by 2 years and it is now time to replace.		
	Public Consultation Process		No
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OPERATING BUDGETS:		
	2022	2023	2024
5. EXPENDITURES			
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER	75,000		
6. NET REQUIREMENTS:	75,000	0	0
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES - Small Equipment Reserve OTHER	-75,000		
7. ANNUAL TAX REQUIREMENT	0	0	0

DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:			
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Countywide Communications Project	tower site located in the Count moving to a more robust and r purchased over the last 4-5 yrs	Northumberland County has notified all the fire services that they will be removing the Radio tower site located in the County Forest. This will impact our communications and we will be moving to a more robust and redundant system at that time. Most of the equipment has been purchased over the last 4-5 yrs, but there will be costs associated with the final move and subsequent reprogramming of equipment, once the engineering design is complete.		
	Public Consultation Process	Public Consultation Process No		
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OF	4. EFFECTS ON FUTURE OPERATING BUDGETS:		
	2022	2023	2024	
5. EXPENDITURES				
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER		40,000		
6. NET REQUIREMENTS:	0	40,000	0	
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES OTHER				
7. ANNUAL TAX REQUIREMENT	0	40,000	0	

DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:			
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Apparatus Bay Floor Repairs	tracks are very corroded and number of years ago but the re	The floor drains in the apparatus bay areas are in need of repairs as the grates and their tracks are very corroded and need replacement. Some were repaired and replaced a number of years ago but the remainder need attention. This requires concrete work, new grates and subsequent floor refinishing.		
	Public Consultation Process		No	
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OP	4. EFFECTS ON FUTURE OPERATING BUDGETS:		
	2022	2023	2024	
5. EXPENDITURES				
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER		50,000		
6. NET REQUIREMENTS:	0	50,000	0	
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES OTHER				
7. ANNUAL TAX REQUIREMENT	0	50,000	0	

DIVISION: Protection	3. PROJECT DETAIL & JUST	3. PROJECT DETAIL & JUSTIFICATION:		
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Service Vehicle Replacement	in 2020 in accordance with the	Mobile #396 is a 2011 Dodge Ram pickup truck. This vehicle was scheduled for replacement in 2020 in accordance with the replacement by-law. We have extended the life cycle and recommend replacement in 2023.		
	Public Consultation Process		No	
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OF	4. EFFECTS ON FUTURE OPERATING BUDGETS:		
	2022	2023	2024	
5. EXPENDITURES				
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER		75,000		
6. NET REQUIREMENTS:	0	75,000	0	
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES OTHER				
7. ANNUAL TAX REQUIREMENT	0	75,000	0	

DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:			
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Fire Station Bay Doors Replacement	The apparatus bay doors are reaching their end of life and we need to look at replacement in the near future. We are proposing that this take place in 2024.			
2. COMMITMENTS MADE:	Public Consultation Process		No	
	4. EFFECTS ON FUTURE OPERATING BUDGETS:			
	2022	2023	2024	
5. EXPENDITURES CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER			75,000	
6. NET REQUIREMENTS:	0	0	75,000	
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES OTHER				
7. ANNUAL TAX REQUIREMENT	0	0	75,000	

DIVISION: Protection	3. PROJECT DETAIL & JUSTIFICATION:		
DEPARTMENT: Fire 1. PROJECT NAME & DESCRIPTION Self Contained Breathing Apparatus (SCBA) Replacement	Like all mechanical equipment, our SCBA are nearing end of life and consideration of replacement is approaching. These devices protect our firefighters when they enter environments which are immediately dangerous to life and health. There are 24 units in our inventory.		
	Public Consultation Process		No
2. COMMITMENTS MADE:	4. EFFECTS ON FUTURE OF	PERATING BUDGETS:	
	2022	2023	2024
5. EXPENDITURES			
CONTRACTUAL CAPS BASED ON \$ DIRECT REVENUES GRANTS & SUBSIDIES OTHER			250,000
6. NET REQUIREMENTS:	0	0	250,000
TO BE FINANCED FROM: DEBENTURES OWNERS RESERVES OTHER			
7. ANNUAL TAX REQUIREMENT	0	0	250,000