


A CLOSER LOOK OF VINYL CONSTRUCTION

Vinyl-Pro windows are made from an exclusive, 100% lead-free uPVC powder compound. This special compound provides our window systems with a better resistance to impact and discoloration. It ensures that they will not crack, blister or warp, while remaining maintenance free.

These windows have the highest number of internal air chambers, giving them outstanding insulation and sound abatement qualities, as well as thermal efficiency and increased sturdiness.

Jamb extension

A choice of maintenance-free PVC jamb extensions, frame moldings and corner blocks are available to enhance inside finishing.



Inside trim

Additional Features

- Opening mechanism and high-security multipoint locking system come with stainless steel hinges and tracks.
- Hardware mounting is done through a minimum of two uPVC frame walls for secure and durable fastening.
- 4 • Depending on the model, casements open at a full 90°.



Fusion welding Corners provide attractive appearance & eliminate the need for adhesive and sealants. There are no imperfections on the completely watertight and airtight surface. Internal walls are also welded for increased overall structural strength.


Sealed glass unit has 13/16" overall thickness. Depending on the model, glazing of different types and thicknesses can be applied, including single, double, triple and Low-E glazing as well as a glazed decorative panel (3/4" to 1-1/8")

CASEMENT




Casement


Casement windows offer a broad, unobstructed view as well as an excellent airflow. Vinyl-Pro's classic white vinyl frame complements any home's décor. Highly weather-tight to provide superior energy efficiency with triple sealed. This window swings open to a full 90° for maintenance and easy cleaning from inside of your house.



Optional -
Corner Drive



*For detail info on energy ratings & u-values,
Please visit www.nrcan.ca*



Roto Casement Corner Drive System

Roto CCD

- Innovative product that offers enhanced security and superior performance through an integrated lock point positioned 3" from the corner and secured to the window frame
- Ensures consistent locking at the top corner of the window, regardless of the window height. This is typically the weakest area in structural and air infiltration tests
- Offers enhanced security and performance of DP100 or higher
- Connects directly to Roto's LB06/LB08 lock bar assembly

